



## SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

## **Toilet Seat Cleaner Foam**

Revision 9 Revision date 2012-12-07

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Product name	Toilet Seat Cleaner Foam				
1.2. Relevant identified uses of the substance or mixture and uses advised against					
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);				
1.3. Details of the supplier of	f the safety data sheet				
Company	Rubbermaid Commercial Products LLC				
Address	Newell Rubbermaid Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier / Geneva / Switzerland				
Web	www.rubbermaid.eu/contact				
Telephone	+44 (0)8705 686 824				
Fax	+44 (0)2030 279 352				
Email	sds.CommercialProducts@newellco.com				
Local Supplier	pplier				
Company	Newell Poland Services Sp. z o. o.				
Address	2 UI. Wybickiego Manieczki Brodnica 63-112 Poland				
Web	www.rubbermaid.eu/contact				
Telephone	+44 (0)8705 686 824				
Fax	+44 (0)2030 279 352				
1.4. Emergency telephone number					
Emergency telephone number	+44 (0)8705 686 824				
	Monday till Friday (08:30 - 17:00)				
Intended use					
	Non pressurised refill for cleaning seats and handle.				
SECTION 2: Hazards identification					
2.1. Classification of the substance or mixture					
2.1.1. Classification - 1999/45/EC Main hazards	R10 Symbols: Flammable.				
2.2. Label elements	т апппале.				
	R10 - Flammable.				
Risk phrases					
Safety phrases	S2 - Keep out of the reach of children.				

Powered by ChemSoft EH&S

Revision 9 Revision date 2012-12-07

2.2. Label elements				
	S16 - Keep away from sources of ignition - No smoking.			
Further information				
Classification system  For mixtures, classification is in compliance with Regulation (EC) 1999/45. The classification is incompliance with Regulation (EC) 1999/45. The classification with current EC lists. It is expanded, however, by information from technical literature information furnished by supplier companies.				

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol	603-002-00-5	64-17-5	200-578-6		30 - 40%	F; R11
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	F; R11 Xi; R36 R67
PEG-40 Hydrogenated Castor oil		61788-85-0			< 1%	
Isotridecanol ethoxylate		69011-36-5			< 1%	Xn; R22 Xi; R41

Further information					
	Regulation (EU) 453/2010 - Substances in compliance with Regulation (EC) 1272/2008.  Ethanol - Flam. Liq. 2: H225; GHS02;.  Isopropanol - Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; GHS02; GHS07;.  PEG-40 Hydrogenated Castor oil - No classification.  Isotridecanol ethoxylate - Acute Tox. 4: H302; Eye Dam. 1: H318; GHS05; GHS07;.				
Additional Information:	Full text for all Risk Phrases mentioned in this section are displayed in Section 16.				
Description	Mixture of water, mild surfactants and alcohol.				

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical	
	attention if irritation or symptoms persist.  Remove contaminated clothing. Wash all contaminated clothing before reuse. Wash off	
Skin contact		
	immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.	
Ingestion	Unlikely to occur when used as directed.	
4.0. Most important augustance and effects, both positio and deleved		

#### 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

**Eye contact** Seek medical attention.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam. Do NOT use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Carbon oxides may be formed in fire conditions.

## 5.3. Advice for firefighters

Wear suitable protective clothing, gloves and eye/face protection.

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures



Revision 9 Revision date 2012-12-07

6.1. Personal precautions, prote	ective equipment and emergency procedures
	Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective clothing.
6.2. Environmental precautions	
	Do not flush into surface water. Prevent further spillage if safe. Do not let product contaminate subsoil.
6.3. Methods and material for c	ontainment and cleaning up
	No special precautions, except to be aware that spillages will make floors slippery. Ensure adequate ventilation. Absorb liquid components with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).
SECTION 7: Handling and s	torage
7.1. Precautions for safe handli	ng
	Avoid contact with eyes. Ensure adequate ventilation of the working area.
7.2. Conditions for safe storage	, including any incompatibilities
	Keep containers tightly closed.  Do not store with strong acids.  Do not store with strong oxidising agents.  Store in a cool, dry area. Store at temperatures above 5 °C.  Store at temperatures below 30 °C.  Protect from heat and direct sunlight.  Observe official regulations on storing flammable packagings.  Keep away from sources of ignition - No smoking.  Do not open by force or throw into fire, even after use.  Do not pierce or burn, even after use.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### 8.1.1. Exposure Limit Values

Ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250

#### 8.2. Exposure controls

	o.z. Exposure Controls			
8.2.1. Appropriate  engineering controls  The product does not contain any relevant quantities of materials with crit be monitored at the workplace.		The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.		
	8.2.2. Individual protection	Not required when used as directed.		
measures				
	Eye / face protection	Not required when used as directed. Avoid contact with eyes.		
	Skin protection - Not required when used as directed. Wash hands after handling the product.			
	Handprotection			
	Respiratory protection	Not required when used as directed.		

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties



Revision 9
Revision date 2012-12-07

#### 9.1. Information on basic physical and chemical properties

State Liquid Colour Clear Odour Alcoholic pН 6.0 - 8.0 > 78 °C Boiling point Flash point 24 °C Vapour pressure 3.6 kPa 20°C Relative density 0.941 - 0.951 Autoignition temperature > 370 °C Viscosity 11 sec

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Will not decompose if stored and used as recommended.

## 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

#### 10.4. Conditions to avoid

Do NOT allow to freeze.

Direct sunlight.

Heat, sparks and open flames.

#### 10.6. Hazardous decomposition products

Carbon oxides may be formed in fire conditions.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Respiratory or skin	Irritation may be possible.
concitication	

#### 11.1.4. Toxicological Information

Ethanol	Oral Rat LD50: 6200 - 17800		
	mg/kg		
Isopropanol	Inhalation Rat LC50/4 h: >20 mg/l	Oral Rat LD50: >5000 mg/kg	
	Dermal Rabbit LD50: >5000 mg/kg		
Toilet Seat Cleaner Foam	Oral Rat LD50: 16000 mg/kg		

No data is available on this product.

## SECTION 12: Ecological information

## 12.1. Toxicity

Ethanol	Algae IC50/72h: 5000 mg/l	Fish LC50/96h: 11400 mg/l
Toilet Seat Cleaner Foam	Fish LC50/96h: 1225.0000 mg/l	

#### 12.2. Persistence and degradability

Readily biodegradable.

#### 12.3. Bioaccumulative potential

Does not bioaccumulate.

#### 12.5. Results of PBT and vPvB assessment

No data is available on this product.



Revision 9

	Revision date 2012-12-07
12.6. Other adverse effects	
	No data available.
Further information	
	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
SECTION 13: Disposal cons	iderations
General information	
	Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Containers can be recycled if in compliance with local and national regulations.
SECTION 14: Transport info	
Hazard pictograms	iniauon
Tiazaru piotograms	
	3
14.1. UN number	
	UN1170
14.2. UN proper shipping name	
	ETHANOL SOLUTION
14.3. Transport hazard class(es	3)
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	<del>-</del>
IATA	3
Subsidiary risk  14.4. Packing group	<u>  -                                   </u>
	I
Packing group  14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No No
ADR/RID	1
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	



Revision 9
Revision date 2012-12-07

	Revision date 2012-12-0
IATA	
Maximum quantity	60 L
Further information	
Remarks	ADR - Goods are classified as "Limited Quantities" and are therefore excempt from ADR
Remarks	regulations. Check local legislation for domestic transport.  IMDG - Goods are classified as "Limited Quantities" and are therefore exempt from IMDG
Remarks	regulations. Check local regulation for domestic transport.
Remarks	"Limited Quantity".
SECTION 15: Regulatory	information
15.1. Safety, health and env	ironmental regulations/legislation specific for the substance or mixture
Regulations	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Further information	·
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
SECTION 16: Other infor	mation
Other information	
Revision	This document differs from the previous version in the following areas:.  2 - Classification system.
Text of risk phrases in Section 3	R11 - Highly flammable. R22 - Harmful if swallowed. R36 - Irritating to eyes. R41 - Risk of serious damage to eyes. R67 - Vapours may cause drowsiness and dizziness.
General information	
From the second	Additional information in compliance with Regulation (EC) 1272/2008.  H225 - Highly flammable liquid and vapour.  H302 - Harmful if swallowed.  H318 - Causes serious eye damage.  H319 - Causes serious eye irritation.  H336 - May cause drowsiness or dizziness.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Technical Services Department.

Informing Department

Revision 9 Revision date 2012-12-07

